

'unified, multi-model driver and configuration suite'

*m***Collection** Printer Software Installation Manual

Contents

1.	S	oft	ware Overview
	1.1	۷	Windows Printer Driver
	1.2	Ρ	Printer Utility
		1.2.	2.1 Starting the Printer Utility
		1.2.	Printer Utility Functions
2.	Ορε	erat	ing Environment9
	2.1	C	Operating System
	2.2	S	Supported Functions (Interface)10
3.	Ir	nsta	allation11
4.	U	Inin	nstallation14
5.	R	evis	sion History17
Ap	oper	ndix	x 1. Pairing with Bluetooth in Windows18

Notice

- Windows is a registered trademark of Microsoft Corporation in the U.S, Japan and/or other countries.
- The Bluetooth® word mark and logos are registered trademarks owned by the Bluetooth SIG, Inc.
- Apple is a trademark of Apple Inc., registered in the U.S. and other countries.
- Android is a trademark of Google Inc.
- Company and product names are trademarks or registered trademarks of their respective companies.
- Reproduction of any part of this documentation is prohibited.
- The contents of this documentation are subject to change without notice.
- We can assume no responsibility for any results which may come out of the usage instructed in this documentation.

Copyright 2018-2020 Star Micronics Co., Ltd.

1. Software Overview


mCollection printer software package contains the Windows printer driver and a printer utility. To use the software package, follow the procedure given in chapter 3, "Installation," and then turn the printer on.

larget model and Firmware versions					
Target Model	Printer F/W				
MCP20/21 (mC-Print2)	Ver 1.0 or later				
MCP30 (mC-Print3)	Ver 2.0 or later				
MCP31 (mC-Print3)	Ver 1.0 or later				
POP10 (mPOP)	Ver 1.0 or later				

Target Model and Firmware Versions


1.1 Windows Printer Driver

The Windows printer driver is used when files are printed from Windows applications.




Install the mCollection Printer Software, and then connect a printer with a USB interface to the PC. The Plug and Play feature will enable the Windows printer driver automatically.

To use the Windows printer driver when you are connecting to the printer through an interface other than USB, install the driver from the Windows Printer Queue Management window of the printer utility.



When using the printer through the Windows printer driver, you can set options such as the paper type, paper cut type, and logo print method by clicking Properties in the Windows Printer Queue Management window of the printer utility.

For details about the printer driver, see the printer driver help.





1.2 Printer Utility

The printer utility is used to connect to the printer and to set various options.

It can be used in conjunction with the Windows printer driver, OPOS driver, and in numerous other environments.

The printer utility is used over a specific "Connection" ("Connection" has specific properties the connection method).

For details on how to configure connections and on the utility functions, see the printer utility help.

1.2.1 Starting the Printer Utility

① On the Windows taskbar, click 'Start', and then click 'All Programs' > 'Star Micronics' > 'Printer Software for mCollection' > 'Printer Utility mCollection' .


🛟 Windows 7	🛟 Windows 8.1	Windows 10
StarMicronics Printer Software for mCollection Printer Utility mCollection Star Bluetooth Utility for mCollec Junistall Printer Software mCollec USB SerialNumber Setting Utility	StarMicronics Printer Utility mCollection Star Bluetooth Utility for mCollec	S StarMicronics New Printer Utility mCollection Star Bluetooth Utility for mCollecti New
1 Back	Uninstall Printer Software mColl	Uninstall Printer Software mCollect
Search programs and files	USB SerialNumber Setting Utility	USB SerialNumber Setting Utility f

(2) The 'User Account Control' dialog appeards. Click 'Yes'.

③ The printer utility window opens.

When you start the printer utility for the first time, the 'Printer Connection Wizard' appears. Please choose the interface to create a connection. You will be able to use the printer utility functions through the connection that you created.

Element Using Hear Annual Poly I and Annual Poly		
Corrector Manese		
Corrector Manys		
Next>	_	ncel



Starting the Printer Utility Help

Printer Connection Wizard



1.2.2 Printer Utility Functions

Utility Functions

Click a link in the list of utility functions to display the properties of the corresponding function.

The printer utility is used over a specific connection (each connection has specific properties such as the connection method).

🜃 Star Micronics mColl	lection Printer Utility -			×
<u>File Tool H</u> elp				
\frown	Utility Functions			
	Windows Printer Queue Management			1
	This function will allow for the installing and management of printer queues for the windows printer spool system.			-
	Star Micronics Cloud			- 1
	Enable retailers to engage with customer more effectively.			- 1
MCP31	Printer Settings			- 1
Current Connection	Use this function to configure your printer's settings and fine tune its operation.			
MCP31	Barcode Reader Settings			- 1
StarPRNT Mode USB	Use this function to configure your barcode reader's settings and fine tune its operation.			
Star MCP31	Troubleshooting			- 1
Check Change	Use this function to check and troubleshoot your printer by sending it a variety of diagnostic print patterns.			
Connection Manager	OPOS			- 1
MCP31-USB:Star MC ~	This function allows you to register and configure OPOS POSPrinter, CashDrawer, Scanner, LineDisplay and ToneIndicator devices.			-
Rename	Logo Store			- 1
Delete Create New	Use this to store your logos and images into the printer. This is often useful in terms of deployment and also in terms of print speed.			
	Firmware Update			- 1
	Use this functin to update your pinter's firmware.			- 1
	Now available for FREE			
				- 1
	C All Receipts			
	The safe and reliable digital receipt solution			
		_	_	-

Windows Printer Queue Management

Windows Printer Queue Management can be used to create and manage the printer queues of the Windows print spooler system.

To use the printer driver when you are connecting to the printer through an interface other than USB, install the Windows printer driver from this function.

🚮 Star Micronics mCollection Printer Utility — 🗆 🗙											×
<u>F</u> ile	<u>T</u> ool	<u>H</u> elp									
		ICP31	Utility	Functions > Wi	ndows Printer Q	ueue Ma	nagemer	nt			
				Printer Name		Default	Shared				
Current MCP:	t Connect	ion		Star MCP31				Delete			
StarP USB	RNT M	ode						Test Print			
Starr	10-31							Queue			
Conne	ection Mar	nager						Properties			
MCP3	1-USB:Sta	ar MC $ \sim $						Set Defaul	t		
								Star Micronics Clo	oud Info		
				Refresh							

Star Micronics Cloud

Register the device (mCollection printer queue or OPOS POSPrinter device) using your registered Star Micronics Cloud account.

Once you have registered the device, you can use the service of uploading print data to the cloud server and manage the registered device from the Star Micronics Cloud dashboard.

To use this function with mCollection printer qeueu, set the print mode to "Raster" from the Printer properties in the printer driver.

🔣 Star Micronics mCol	ection Printer Utility	-	×
<u>Eile Iool H</u> elp	Utility Functions > Star Micronics Cloud		
MCP31	Learn about Star Micronics Cloud Here Please register a Star Micronics Cloud account prior to login. Account Enteryour Star Micronics Cloud account : Username(Email) and Password.		
Current Connection	Printer Name Star MCP31		
MCP31 StarPRNT Mode	Username (Email)		
USB Star MCP31	Password		
	Show Password		
Connection Manager	Register Device Connect to Dashboard		
MCP31-USB:Star MC $ \smallsetminus $	Offline Retailer: Device Name : Device(D): (Device(D) is system generated.) Reload		
	☐ Service ✓ Print Data Upload QR Code Print Size Medium ✓		
	Micro Receipt Visable V		
	Advanced Settings (WritePrinter API)		
	Apply Chappes		



-6-



Printer Settings

You can change the printer settings (memory switch settings) according to your needs.

What are memory switches ?

You can configure the basic settings of a printer and store them in memory switches on the printer.

	tion Printer Utility	- 0	×
<u>F</u> ile <u>T</u> ool <u>H</u> elp			
	Jtility Functions > Printer Settings		
	Category All	* : Default Option	
	ASB (Bluetooth)	Disable *	• ^
MCP31	ASB (LAN)		•
Current Connection	ASB (USB Type-A)	Enable *	•
MCP31 StarPRNT Mode USB	ASB (USB Type-B)	Enable *	•
Star MCP31	Asian Character (DBCS)	Single-Byte Character Set (SBCS)	•
	Block Print Start Timing (Trigger)	Detect Page End (All I/F) *	•
Connection Manager MCP31-USB:Star MC V	Character Size	12 dots (Japanese)/ 13 dots (others/DBCS). 12 dc	•
	Character Size (Kanji)	26dots *	-
	Code Page	Normal *	•
	Compression (Barcode)	Compress *	•
	File Operations		
	Export Import		
	Printer Operations		_
	Reset Defaults Print Settings	Store Reload	

Barcode Reader Settings

You can change the barcode reader settings according to your needs. (MCP20 and MCP30 do not support.)

🔣 Star Micronics mCol	llection Printer Utility -	×					
<u>Eile I</u> ool <u>H</u> elp							
	Utility Functions > Barcode Reader Settings						
	Category All						
	Power on Music 🗹	^					
МСРЗТ	Good read Beep 🗹						
Current Connection	Reject Same						
MCP31 StarPRNT Mode	Scan Mode Standard V						
USB Star MCP31	Beep Volume Middle Level v						
	Beep Tone Middle Tone ~						
Connection Manager	Beep Time 100 mSec v						
MCP31-USB:Star MC $ \smallsetminus $	UPC-A						
	Permission of Reading 🗹						
	Add-On None ~						
	UPC-E						
	Permission of Reading	~					
	File Operations						
	Export Import						
	Barcode reader Operations						
	ResetDefaults Store Reload						

Troubleshooting

You can check the operations of various printer functions.

🔣 Star Micronics mColl	ection Printer Utility	- 🗆 X
<u>File T</u> ool <u>H</u> elp		
_	ection Printer Utility Utility Functions > Troubleshooting Cach Daver 1 20mSe: Widh Cach Daver 200mSe: Utility Cach Daver 200m	Peripherals These tests excercise the peripheral drive circuits and the devices connected to them.
	Pint From File	

+ OPOS

You can store, configure, and perform similar tasks for OPOS POS printer devices cash drawer devices, scanner devices (Barcode Reader), line display device (Customer Display), and ToneIndicator (mC-Sound).

🔣 Star Micronics mColle	ection Printer Utility		- 0	×
<u>File Iool H</u> elp	,			
	Utility Functions > OPOS			
	Pelase uncheck the setting of the printer driver "E POSPrinter Control Object Faled to get POSPrinter C0 info Faled to get POSPrinter S0 info	nable bidirectional support" for u	ising OPOS Driver.	^
-		Test		- 11
Current Connection MCP31		Configure		- 11
StarPRNT Mode		Add new		- 11
Star MCP31		Delete		- 11
		See all registered devices		- 11
Connection Manager	CashDrawer Control Object Faled to get CashDrawer C0 infol Service Object Faled to get CashDrawer S0 infol			
		Test		
		Configure		
		Add new		
		Delete		
		See all registered devices		
	Scanner Control Object Faled to get Scanner O infol Service Object Faled to get ScannerS0 infol			
		Toet		~

Logo Store

You can store logos (image data) in the printer's memory.

By storing logo and other image data that is printed frequently, you can expect increased print throughput, because there is no need to send the data every time you print.

🚮 Star Micronics mColle	ction Printer Utility				- 🗆 X					
<u>F</u> ile <u>T</u> ool <u>H</u> elp										
Utility Functions > Logo Store										
67	Computer -> Prin	ter Logo Images								
	Key Code	Filename	Size [KB]	Previe	w					
				Add						
MCP31				Delete						
Herst				Export						
Current Connection				Import						
MCP31					Edit					
StarPRNT Mode USB					Test Print					
Star MCP31										
Connection Manager	Store Logo	DS	Space Remaining	Unknown Size						
MCP31-USB:Star MC $ \sim $	Printer Logo Men	nory								
	Key Code	Size [KB]	Test Print	I						
			Delete	1						
			Test Print All	Printer Mem	Dry					
			Clear All	Space Used:	Unknown Size					
			Reload	Space Remai	ning:					
			Heload	Total Space:	Unknown Size					
				. 5101 0 0 000	Unknown Size					
	L		-							

• Firmware Update

You can update your printer firmware via cloud or local file.

🔣 Star Micronics mCol	ection Printer Utility	-	×
<u>File Tool H</u> elp			
\frown	Utility Functions > Firmware Update		
	Select Firmware File		
	Get From Cloud Open Local File		
1			
MCP31			
~	Printer Operation		
Current Connection	Update		
/CP31			
StarPRNT Mode			
JSB Star MCP31			
Connection Manager			
ACP31-USB:Star MC 🖂			



2. Operating Environment

2.1 Operating System

This software supports the following operating systems.

- Microsoft Windows 7 32bit/64bit
- Microsoft Windows 8.1* 32bit/64bit (except Windows RT)
- Microsoft Windows 10* 32-bit and 64-bit (except Windows 10 Mobile and Windows 10 IoT Core)

*Limitation for Windows 8.1/10

- Star original Printer Driver Function (e.g. Logo Setting) can not be changed from "Windows UI (Modern UI)". However, once the setting of its function is changed from "Desktop UI", these function can be used on "Windows UI (Modern UI)" as well.
- $\cdot\,$ USB Printer will not be appeared in [Device and Printer] if its power is off.
- Error status (e.g. Paper empty during printing) will not be shown in "Windows UI (Modern UI)".



2.2 Supported Functions (Interface)

The following tables indicate the utility functions that you can use for each combination of the different interfaces models. One table is given for each model.

This software uses TCP communication port 9100, TCP communication port 9101, UDP communication port 22222.

mC-Print2	USB I/F Printer Class	Bluetooth I/F	Ethernet I/F
Printer Utility	0	0	0
Windows Printer Queue Management	0	0	0
Star Micronics Cloud	0	0	0
Printer Settings	0	0	0
Barcode Reader Settings	⊖*1	⊖*1	⊖*1
Troubleshooting	0	0	0
OPOS	0	0	0
Logo Store	0	0	0
Firmware Update	0	0	0

mC-Print2, mC-Print3 Series

mC-Print3	USB I/F Printer Class	Bluetooth I/F	Ethernet I/F
Printer Utility	0	0	0
Windows Printer Queue Management	0	0	0
Star Micronics Cloud	0	0	0
Printer Settings	0	0	0
Barcode Reader Settings	⊜*2	⊜*2	⊜*2
Troubleshooting	0	0	0
OPOS	0	0	0
Logo Store	0	0	0
Firmware Update	0	0	0

*1: MCP21LB only

*2: Except MCP30

«Table of supported interfaces»

The below table shows interfaces each model supports.

Model	USB I/F	Bluetooth I/F	Ethernet I/F
MCP20	0	-	0
MCP21LB	0	0	0

Model	USB I/F	Bluetooth I/F	Ethernet I/F
MCP30	0	-	0
MCP31L	0	-	0
MCP31LB	0	0	0
MCP31C	○*3	-	0
MCP31CB	○*3	○*3	0

*3: Except iOS

mPOP

mPOP	USB I/F Printer Class	Bluetooth I/F
Printer Utility	0	0
Windows Printer Queue Management	0	0
Star Micronics Cloud	0	0
Printer Settings	0	0
Barcode Reader Settings	0	0
Troubleshooting	0	0
OPOS	0	0
Logo Store	0	0
Firmware Update	0	0



3. Installation

Important:

Administrator privilege is required to run the installation.

Note: If you are connecting to the printer by USB, carry out the instructions in chapter 3, "Installation," and then turn the printer on.

Follow the instructions below to install the software.

(1) Download Software package file ($\langle a \rangle$ or $\langle b \rangle$) from Star's website and save it.

Menu Name	File Name
<a> StarPRNT for mCollection Vx.x.x FULL 32/64-bit	StarPRNT_mCollection_vx.x.x_setup_full_ yyyymmdd.zip
 StarPRNT for mCollection Vx.x.x Setup EXE File for Windows 32/64-bit Systems	StarPRNT_mCollection_x.x.x_setup.EXE

> O 6	ी www.star	micronics.com/support/	□ ☆	白んビ
star	Global Support S	Site		
Drivers	Manuals	Developers Technology	FAQ	Contact Star
We have confirmed that Star printers communicating vie Lighting-USS with DOS devices of ICSIAO Lighting-USS with DOS devices of ICSIAO Prior Conf. In Conf. Prior Conf. Printer Units age. Click for more detail	Welcome to the Star Mi software, documentation	Hour do Lind my Pinter Family Name?	aly and quickly find drivers.	The Latest Technical Updates 44.5 Latest central macrosoft 15. Defenses for Windows Windows Windows Windows Comparison (See Windows Windows Windows Windows Comparison (See Windows Windows Windows Windows Comparison (See Windows Windows Windows) Comparison (See Windows Windows Windows) See Hondows Windows Windows Windows Windows Windows Windows Windows See Hondows Windows Windows Windows See Hondows Wind
Coverload on the App Store	Drivers Star Micronic	Manuals Other Dov		25
	Starf //stali //s	PRVT for mCollection Scheme seconds. Ster mBVP mC PRVT for mCollection V2.2.1 FULL 32/64-bit face Pickage including threat, Configuration Unity, CMP PRVT for mCollection V2.2.1.Setup EXE File for 1 wait included science 10 control Tool (46980) included 2 directional collection of control request	7MB) S and Manuals Windows 32/64-bit Sys for Star printers.	> <a>
		vs 10(32/64-bit), Windows 8.1(32/64-bit), Windows 8(32/64 OS: Windows 10 Fall Creators Update (1709)	-bit), Windows 7(32/64-bit,)

② When the saved file is <a>


Unzip the zip file, and execute "setup.exe" in the setup folder. When the saved file is

Execute "StarPRNT_mCollection_x.x.x_setup.EXE".

- ③ Follow the instructions from ④ to complete the installation.
- ④ The 'User Account Control' dialog appeards. Click 'Yes'.



(5) Click 'Next'.



⁽⁶⁾ The End-User License Agreement, an agreement for installing the software, appears. Read the agreement. If you agree with the terms, select the 'I accept the terms in the License Agreement' check box, and then click 'Next'.

🛃 Star Micronics Printer Software for mCollection Ver 🔛 Setup 🛛 🗆	×
End-User License Agreement Please read the following license agreement carefully	
Software License Agreement	^
This Agreement made and entered into by and between you and Star Micronics Co., Ltd. (hereinafter referred to as "Star") stipulates the terms and conditions pertaining to the licensing of the software.	
Please read this Software License Agreement ("Agreement") carefully before installing or using the software and accompanying data (hereinafter referred to as "the	
2 accept the terms in the License Agreement	
Back Next Can	cel


⑦ Choose the setup type.

Click 'Typical' to install the all program features. Always select this option unless you have a specific reason. Click 'Custom' to install only the program features that you will need.


😸 Star Micronics Printer Software for mCollection	/er Setup	-		×
Choose Setup Type Choose the setup type that best suits your needs		s	ta	r
Ivpical All program features and printer drivers w most users.	ill be installed. Re	commend	led for	
<u>Q</u> ustom Allows users to choose which program fe they will be installed. Recommended for a		lled and v	vhere	
Ва	ck <u>N</u> ext		Cance	el




(8) Click 'Install' to start the installation.



③ When the software installation completes, the following window appears. Click 'Finish' to close the wizard.



(1) If the following confirmation window appears, click 'Yes'.






4. Uninstallation

Follow the procedure below to uninstall the software.

① Turn the printer power switch off.

② In Windows7

On the Windows taskbar, click 'Start', and then click 'All Programs' > 'Star Micronics' > 'Printer Software for mCollection' > 'Uninstall Printer Software mCollection'.




In Windows8.1

On the Apps, select [Star Micronics]-[Uninstall Printer Software mCollection].



In Windows10

On the Windows taskbar, click 'Start', and then click 'All Apps' > 'Star Micronics' > 'Uninstall Printer Software mCollection'.



③ The 'User Account Control' dialog appeards. Click or 'Yes'.

④ The following window appears. To continue, click 'Yes'.

Windows Installer	\times
Are you sure you want to uninstall this product?	
Yes No	



⑤ If the following confirmation dialog box appears, select the 'Do not close applications' option, and then click 'OK'.

Star Micronics Printer Software for mCollection Ver	×
The following applications should be closed before continuing the install:	
Print Spooler	
Automatically close applications and attempt to restart them after setup is complete.	

(6) If the following confirmation window appears, click 'OK'.

Star Micronic	s Printer Software	X
0	The setup must update files or services that cannot be updated while the system is running. If you choose to continue, a reboot will be required to complete the setup.	
	Cancel	

⑦ The uninstallation program starts and removes all the relevant software components.

Star Micronics Printer Software for mCollection Ver	
Please wait while Windows configures Star Micronics Printer Software for mCollection Ver	
Cancel	

- (8) If you are using the Star Micronics Cloud Services, execute the following file.
- 1) Open the folder of the software package you downloaded for installation.
- Run the files "SMCSInformationCleanUpTool_mCollection.exe" in the folder path below as administrator.

StarPRNT_mCollection_vx.x.x_setup\ SMCSInformationCleanUpTool\SMCSInformationCleanUpTool_mCollection.exe

- 🖉 📑 =		Manage	SMCSInformation	CleanUpTool		- 0	×
File Home	Share View	Application Tools					^ ?
Pin to Quick Copy access	Paste A Cut Paste Paste sho	Move Copy	Delete Rename	New item ▼ T Easy access ▼ folder	Properties	Belect none	1
Cli	ipboard	Or	ganize	New	Open	Select	
\leftrightarrow \rightarrow \checkmark \uparrow StarPRNT_mCollection_vx.x.x_setup \rightarrow SMCSInformation			CleanUpTool	✓ ບັ ,○ Sea	rch SMCSInformation	nCle	
👌 Music	^ Name	^		Date modified	Туре	Size	
len OneDrive	Silent	Uninstall_mCollection.	bat	11/20/2020 4:38 PM	Windows Batch File	1 KB	
💻 This PC	SMCS	InformationCleanUpTo	ool_mCollection.exe	Open		21 KB	
2 items 1 item se	elected 20.4 KB		C	 Run as administrato Share with Skype 			:==





* You can download the SMCS Clean Up Tool from Star's website.

Menu Name	File Name
SMCS Clean Up Tool	SMCSInformationCleanUpTool_mCollection_Vx_x_x.zip
<u></u>	l

Unzip all files.

Execute "SMCSInformationCleanUpTool_mCollection.exe" as Administrator.

- 3) The 'User Account Control' dialog appears. Click 'Yes'.
- 4) The following window appears. To continue, click 'OK'.



5) Click 'OK' to close the window.



Note

After uninstalling the printer utility, the printer queue icon may remain in "Control Panel"-"Devices and Printers".

To delete it, right-click the printer queue icon and choose "Remove device" from the pull-down menu to delete it.

$\begin{array}{c cccc} \leftarrow \rightarrow & & & & & & & & & & & & & & & & & &$
$\begin{array}{c} \checkmark \text{Devices (5)} \\ \hline \\ \hline \\ \hline \\ \\ \hline \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ $
$\begin{array}{c} \hline \\ \hline $
Keyboard NOM Mouse Printers (4) Image: Create shortcut Image: Create shortcut Fax Microsoft Print to PDF Image: Create shortcut
Fax Microsoft Print Microsoft XPS to PDF Document Writer



5. Revision History

Rev. No.	Date of Revision	Changes
Rev. 1.0	June. 2018	First edition.
Rev. 2.0	Nov. 2018	Add support mC-Sound (MCS10) - MCP31 Windows Printer Driver - OPOS ToneIndicator Added a note of communication port.
Rev. 3.0	Aug. 2019	Add support MCP30
Rev. 4.0	May. 2020	Add support MCP31C, CB Support end Windows 8.
Rev. 4.1	Dec. 2020	Supported software package Ver.2.3.3.




Appendix 1. Pairing with Bluetooth in Windows

Follow the appropriate procedure.

♣ In Windows 10

1. Open [Settings], select [Devices] - [Bluetooth & other devices].



2. Turn Bluetooth On.

🔅 Home	Bluetooth & other devices
Find a setting	Add Bluetooth or other device
Devices	Bluetooth
Bluetooth & other devices	On
凸 Printers & scanners	Now discoverable as "LTP8-W81"

3. Select [Printers & scanners] - [Add a printer or scanner].

	🕸 Home	Printers & scanners
	Find a setting $\begin{subarray}{c} \end{subarray}$	Add printers & scanners
	Devices	+ Add a printer or scanner
	Bluetooth & other devices	
(品 Printers & scanners	Printers & scanners
	Mouse	ᄕᠣᅬ



Select the Bluetooth device name, and click or tap [Add a device].
 If the Bluetooth device name was changed, then select the device name that it was changed to.

Checking the printer's Bluetooth address
The Bluetooth address is listed on the test print sheet.
Please refer to the separate manual "On-line Manual" for the test printing method.

慾 Home	Printers & scanners
Find a setting \wp	Add printers & scanners
Devices	U Refresh
Bluetooth & other devices	Printer -XXXX
B Printers & scanners	
() Mouse	Add device
- Tuning	mC-Print3-

5. When the device appears in "Printers & Scanners", pairing is completed.

چې Fi	Home	Printers & scanners Add printers & scanners
Dev	ices	+ Add a printer or scanner
	Bluetooth & other devices	
Ð	Printers & scanners	Printers & scanners
Ů	Mouse	

After a while	e, "Driver is unavailable" will	be displayed, however, pairing is completed.
	← Settings	- • ×
	Home Find a setting	Printers & scanners
	Devices	mC-Print3-XXXXX Driver is unavailable
	Bluetooth & other devices	Remove device
	application. Create a separ	be used for the destination specified when printing from rate printer queue refer to "+ Windows Printer Queue



* In Windows 7 / 8.1

1. On the Control Panel, click "Devices and Printers". And click "Add a Device".


		x
	Control Panel > All Control Panel Items > Devices and Printers 🔹 47 Search Devices and Printers	٩
(Add a device Ac i a printer	0
	When the second s	х
	Devices (5)	_
	Generic Bluetooth Radio 4 Printers and Faxes (2)	
	Fax Microsoft XPS Document Witter	

2. When the Pair with a wireless device window is displayed, set up the printer as instructed on the screen*, and then click [Next].

* See the "On-line Manual" for more information on operating the printer.


3. Select the Bluetooth device you want to add from the list of devices displayed, and then click [Next]. If multiple Bluetooth devices are found, you can right-click the printer, select [Properties], and then check the Bluetooth address to specify the printer you want to pair.

X	STAR mPOP-00001 Properties
Add a device	Services Bluetooth
Select a device to add to this computer Windows will continue to look for new devices and display them here. STAR mPOP-00001 STAR mPOP- Bluetooth Printer Add device STAR mPOP Properties Bluetooth Bluetooth Printer Star mPOP- Bluetooth Printer Star mPOP Bluetooth Bluetooth Printer Star mPOP- Bluetooth Bluetooth Bluetooth	STAR mPOP400001 Device Information Manufacturer: Unavailable Model: Unavailable Model number: Unavailable Categories: Printer Transport: Bluetooth Webpage: Unavailable Troubleshooting Information Connection: Standard Last connected: Last connected: Unavailable Senal number: Unavailable MAC address: Unavailable Unique identifier: IP address: Unavailable OK Cancel Apply





4. When pairing is complete, the printer is added to the Printers and Devices screen.



5. To check the virtual COM port assigned by pairing the Bluetooth device, go to the Devices and Printers screen, and then check the "Hardware" tab in Properties for the device that was added.

Control Panel + All Control Panel Items + Devices and Printers		
00 -	49 Search Devices and Printers	۹
Add a device Add a printer Troubleshoot Remove device	E * (0
Windows can display enhanced device icons and information from the Internet. Click to change		х
Perices (5) Source (5) List Hub Keybeard Dis Optical Moure Printers and Faxes (3)		
Far Macrosoft XP Decement Wash Decement Wash		
STAR mPOP-00001 Category: Printer Susce: Needs to coldechooting		

STAR mPOP-00001 Properties	X	
General Hardware Survices Bluetooth		
STAR mPOP-00001		
Device Functions:		
Name	Туре	
Device Bluetooth Peripheral Device	Other devices	
The second serial over Bluetooth link (COM3)	Ports (COM	
Device Function Summary		
Manufacturer: Unknown		
Location: on Microsoft Bluetooth Enumerator		
Device status: The drivers for this device are not installed. (Code 28)		
	Properties	
OK Car	ncel <u>A</u> pply	



